


[illegible]

84 000, 50 000, 1 000 000



) &*+ , # - *\$

```


■ 1 0 41 0 0 0 2 0 0 0 / 5 0 0 0
2 0 1 0 0 4 3 6 0 0 0 4 0 0 0
  1 0 0 0 . $ 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
& ' $ ( ) % * ) * # + ) % " # 0 * 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

```

\$2%\$%&□%\$(/ 3" +#(*.4 - 5#20\$-0
□□□ □□□□□□□□□□ □□ □□□□□□□ □□□□□□□
□□□□ □□ □□□□□□□□ □□ □□□□□□□□□□.

- □□ □□□ □□ □%□□4□□□□ □□ □□
□□ □□□ 1□□□□□6□2□ – □□□□□□□□
□□□□ □□□□□□□□ □□□□□ □□□□□
SYSTEMS, □□□□□□□ □ □□□□ □□□□□□□□
□□□□□ □ □□ □□□□ □□□ □□□□□□ □□□
□□□□ □□□□□□□□:□□ □ □□□□□□ □□ □□□□□ □□□
□□□□□□□□□□□□ □□□□□□□□□□. "□ □□□□□□□□□
□□□□□□□□ □□□□□□□ □□□□□□ □□□□□
SYSTEMS – □ □□□□□□□□□ □□□□□□
□□□□□□□□□□.

- 1□ □□□□□7 □□ □□ □□□□□□, □□
□□1 □□□□□□□□□ □□ □□
4□□ □0□□□□ □ □□1□ □□□□□□□□ □□
□%□ 4□□□□ □□ 1 □□□□□□□□□□□
2□□1□ □□ □□□□ □□□ □□□□ □□□
SYSTEMS. 2□□□□□□□□□□ □□□ □□□□
□□□□□□ □ □□□□□□□□□ – □□ □□□□ □□□
□□□□□□□□□□□□ □□□□□□□□ □□□□□□□
GENERAC POWER SYSTEMS. %□□□ □□
□□□□ □□□ □□□□□ □□ □□□ □□□□□□□□ –
□□□ □□□□□□□ □□□□□□□□□□□ □□□□□□,
□□□□□□□□□ □□□□ □□□□□□□ □□□ □
□□□□□□□□□□□□ □□□ □□□□□□□□ □
□□□□□□ □□□□ □□□□ □□□□□ □□□□□□
□□□□□ □□□□ □ □□ □□□□□□□□□□ □□□□□□
□□ □□□□□□□□□□ □□□□□□□□□□



␣ &8␣ \$, &␣␣ \$& 8␣ *␣␣ #&* \$␣ # \$␣ \$

□&□&*□#□*□

()\$

□□□ □□ □□□□□□.....-□□□□ H

000 00 00000000.....-0000 H

% 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100<3,5%

- 66 000000 00000000 00000000

0000 000 0000**6**00000

□ □ (TIF).....<50

200 000 0 000

[illegible]

□□□□ (3 6□□□).....4 □□□ □□□

200 000 000 500 000 000

, 6

00000000.....700000!00000000000000

30000000 **00000000** (**00000000** **000**

1111111111111111

[illegible]

\$

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □

☐ ☐ ☐ ☐ ☐ ☐ ☒ ☐ ☐ ☐

:

NFPA 99, NFPA

110. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

ISO8528-5 RS5514 64E I1248 ISO2046

ISO8528-3, BS3514, SAE J1349, ISO3046
DIN6271

& (9# * * 9 : & \$9

(.....86)

\$ 36

) 0000000 0000±1/4%

%

□□□□□□□□□□....."□□□□□□

□ □ □ □ □ □ □ □ □ □ □ □ □ H-100

) 00000000 00 0000 0000 / 00000000

) 000000 00 0000 0000 0

66

□ □ □ . & □ □ □ □ # \$ □ □ □ □ # * (□ □ \$ \$ □ & □ & * □ # □ * □

■ %□□□□ □□□□□□□□ □□□□□□□□□□

[illegible]

- & 00 0000 000000000000

00 \$0009 0\$0#&! 0
 (00 00000 0.....2000000000 000,
 0000 00000000,
 0000000000 0000000
 -0000 000000.....\$ 00000000 0 000
 "00000000
 00000 000 000000 000.....\$0000000000
 \$00000000 00000 000000
 00000 0.....\$0000000000
)000000
 00 000000 00000 0.....127-356 00,
 5-14 000000 00.0000000

< &0#*\$,&00009 0\$0#&! 0
 500 0000
 0000000000 000000000000
 0000 00000000 0000.....12 ", 30 #
 \$0000000000 000 0000
 00000000 0
 0000000 0000.....12 ", 2 #
)0000000000 000
 0000000 000.....+00000 24F,
 525CCA
 \$000 00 0000 0000012 "

10*0!&#*0 00& \$(*00 &0\$9

■ 3"#<*(')*:\$ ()%<0 ' : = - 3 \$2.*4 2*)*3#1 (\$.*301 > * 2% - #5#0 4:

- 0000 00000 (00 6000)
- -00660000000 000 000000
-)00000 00 000 00000 (0"-#)
- \$000000 0 000000
- "000 000000
- 000000 00000000 000000
- (00000000000 0000000000 000 000000000
- \$000000 0000000 00 00 00000000
00 00000 00000
- 200 0 0000 0000 0000
- 000000 000 00 000000000 000
00000000
- 00000000 00 0 0000000000000
000000 (00000 000 000000)
- " 0000 0 00000000000000
000000 000000

- \$000 0000 (00 6000)
- , 0 0000 (0"0)
- \$00000 0000000000000000 000 000
- 000000 00 000000 000000 0
- 00000000000 0 000 000000
00000000 0000
- 30 000000 000000
- "000 0 0000
- \$00000 0000000 00 00 000000
000000000000 000000000 000 000000000
- 200 0 0000 000000000
- 000000 000 00 000000000 000
00000000
- \$000000 0 000 000000000000 000

■ " 0() * 00 0 * ? 00 - 8

- ?00000 I²T 00 000 0000 00000000000 00 000 6000000 0000000000 000 00000 0
00000000 00 00000000
- # 000000 000000 00
- 200000000000000 600000 0 000000000000000 00 000 0 000000
- 3 00000 000000 00000 0000000 000000000000000000 00 0000
- \$0000000000 0 0000000000000 0 000000 Generac 0000000 HTS
- "00000000 600000 000000000000 000 000 000 0000
-)00000000000 00000000 0 0000000 0 000 0000000000000 000
- 2000 RS232 00 0000 0000 GenLink[®]
- 2000 000000000000 0000000000 RS485
- #000000000 00 0 000 0 CANBUS
-)0000 000 000000000 0 0000000 0 000000 000 00000 0000 00000000 000 000 000 0
0000 0000
- 300000000 000000000000 00 -40⁰\$ 00 70⁰\$

%000000000000 00000000 000 000000000 -)0000 000 0000 000000: 200000 000 00 000000
 0 000000000 000000000000000 00 00 000000 0000000000 00 0000 000 000000000000000000 . 200
 000000 000000000 00 000000000000 000 0 0000 000000000. ("00 00000000 000 000000000000000
 0000 0000 000 000000000000 BS5514, ISO3046, ISO8528 0 DIN6271).

****** 00000000 000 0000000000000000 00000000 0000 0000 0000000000 00000000000000 :) 000000 000000000000 000000
 0000 0000 0000000000 00000000000000 00000000 0000000000000000 00000000 0 0000 000 000 0000000000 0000000000.
 2000000000 0000000000 00 000000 000 0 00 70% 00000000 00000000 000 0000000000000000 00000000 000000000000 000000
 0000 0000 0000000000 0000000000000000 00 250 00000 00000000000000. %0000 000 00000000000000 000 100% 000000
 0000 0000 0000000000 00000000000000 00 000000 000 0 00 250 00000 0000.
00000000 000 0000000000000000 00000000 000000 0000 0000000 : 3000000 0000000000000000 000000 00 0 0000000 000 0
 0000000000 0000000000 0000000000000000 00 0000.)000000 0 0000000 0000000 000000 000000 0000000 0000000
 0000 0000 0 00 0000000 000 80% 0000000000 0000 6 600000000 0000000000 (0000000000) 0 200 00000 00000000000000 000.
 \$ 000 000000 000000 000000 25 0000 000 000 00000000 000 00000000000000 000000 0000 00 00000000.

- ?00000 0 000000000000 000000 00
00 000000 000000000000
00000000 000 000000000
- ?00000 0 000000000000 000000 00
00 00000000 000 00 00000000 000
00000000
- ?00000 0 000000000000 000000 00
00 00000000 00 000000 000000
- ?00000 0 000000000000 000000 00
00 0000 00 0000 00000000
(00000000 00000000 00 000000 000)
- %000000000000 00000000 0000000000
0 00000000 (00000000 00000000 00
000000 000)
- 0000000000 00 00000000 000 0 000000
- 0000000000 00 00000000 0000000000
000000 000000000000
- %0000000000 0000 0000000000,
00000000 00000000 00 00 0000
- 50000000 0000000000 000000000000
- 7000000 0 00 00000000 0000000000 00
00000000 0 0? 000000 / 000000

- ;00000000000000 000000000000
0 00000000 00 00000000 000
00000000000000
- \$00000000 00000000000 000000 0
- "0000000000 000000 0000 0000
(000000000000 0000 0 00000 000000000)
- +000000 00000000000000 00 000000 00 000
000000 00 00000000000 00000000 0
- +0000000000 0000000000000000 00000 0000 0000
000000000 000000000 0000000000
- -000000 0000000000 00000000 000000000
- 20000000 0000000000 00000000 000000000
- "0000000000 00 000000000000
00000 0000
- \$0000000 0000000000 00000000 ,
000000000000 00 12 " 0000000000000
- %00000000000 00000000
- 50000000 000000 00000
- 200 0 00000 00000
- 00000000000 000000 0000 000000000
0 00000000

- 00*\$000#0 00 0!000#& =008
> &!&0#00 0\$0#&! 0 08 0:'&0\$9
○ 200000000000 00000000 000
000000000000
- 000000 00000 0000000000 000
0000000000, 208/240 "
- 00*\$000#0 00 0!000#& =008
> &!&0#00 #0 \$000 - 0\$0#&! 0
○ +000000 0000000 0000 0000000
- %0 00 00000000000 00000 000000000
- 3 000000 0000000000000000 000000 0 0
0 000000000000000000 00000000 000000000
- 00*\$000#0 00 0!000#& =008
> &!&0#00 > &0#*\$,&0000 - 0\$0#&! 0
○ 000000 00000 000000000 00000000
000000000
- 2 # 0000 00000 0000000000 0 00
000000000 00000
- 10 # 0000 00000 0000000000 0
0 00000000 0000000000 00
000000000 00000

- 00*\$000#0 00 0!000#& =008
> &!&0#00 0&0&*\$0#0*0
&*&!&000000 #0000
- 0 0000000000 000000000 000000000000
00000000000000000 00000
- 000000 00000 000000000 000000000000
00000000000000000 00000
- %0000000000000 00000000000000000000
0000000000000 00000000000000000 00000
- %0000 0000 0 000000 0000000 0000
00000
- 00*\$000#0 (=#00 (*00 &0\$9
○ 80600 00 000000000000 H100
(00000000 0172110SBY)



